


<b>Assessment Title</b> (Task, process, equipment or facility)		<b>Use Of Crane in Warrington Workshop</b>	
<b>Location</b>	<b>Warrington Workshop</b>	<b>Date</b>	<b>01/04/2025</b>
		<b>Review date</b>	<b>31/03/2026</b>
<b>Prepared By (Team)</b>		<b>Richard Lewis, Gary Thomas head of Supply and Logisitcs</b>	
<b>Legal / Best Practice Requirements / links to other assessments (eg COSHH)</b>		Management of Health & Safety at Work Regs / Workplace (Health, Safety & Welfare) Regs	



Hazard	Risk	Effect (Who / what affected)	Initial Risk			Current Controls (inc practices/ procedures)	Actual Risk			Additional Controls (inc practices/ procedures)	Action by and when
			Likelihood	Severity	Risk Level		Likelihood	Severity	Risk Level		
Inadequately maintained equipment eg failure to have regular services carried out at recommended intervals	Various Injuries to the Human Physique/ possibility of death	TMHUK EMPLOYEES / 3RD PARTY CONTRACTORS / VISITORS.	3	4	M	1. Regular maintenance checks are carried out by a 3rd party company to ensure the cranes is operating in a safe manner , and all the control measures are in place. 2. Thorough exam is carried out yearly. 3. Pre operational check carried out by each operator before use.	1	4	L	All appropriate controls are in place that are reasonably practicable , no futher action is necessary	
Training of use of the Crane , Unbalanced loads .	Various Injuries to the Human Physique/ possibility of death	TMHUK EMPLOYEES / 3RD PARTY CONTRACTORS / VISITORS.	3	4	M	1. Specific Training program on general use of the crane is carried out by a 3rd party company , with training records retained. 2. Use of lifting accessories is included with the training. 3. Over head cranes will not be operated by any persons without suitable training.	1	4	L	All appropriate controls are in place that are reasonably practicable , no futher action is necessary	
Suspended Loads	Various Injuries to the Human Physique/ possibility of death	TMHUK EMPLOYEES / 3RD PARTY CONTRACTORS / VISITORS.	2	4	M	1. Loads will remain suspended for as little time as is practicable. 2. No persons shall work directly below any suspended load. 3. Safety helmet must be worn if working around a suspended load. 4. Working on suspended loads must only be carried out with additional support in place e.g. trestles.	1	4	L	All appropriate controls are in place that are reasonably practicable , no futher action is necessary	
Non use of PPE	Various Injuries to the Human Physique/ possibility of death	TMHUK EMPLOYEES	3	3	M	1. The correct PPE equipment is available for all personel using the crane . 2. All training is supported by a safe working practice (SWP 32-PPE). 3. Training for crane use will include PPE requirements.	1	3	L	All appropriate controls are in place that are reasonably practicable , no futher action is necessary	

Hazard	Risk	Effect (Who / what affected)	Initial Risk			Current Controls (inc practices/ procedures)	Actual Risk			Additional Controls (inc practices/ procedures)	Action by and when
			Likelihood	Severity	Risk Level		Likelihood	Severity	Risk Level		
Awareness of people around the working area.	Various Injuries to the Human Physique/ possibility of death	TMHUK EMPLOYEES / 3RD PARTY CONTRACTORS / VISITORS.	3	3	M	1. A safe working area is imperative for all work of this nature and we have in place Risk Assessment WPRA 01 (Working Area) to refer to. 2. Audible warning will sound when the crane is moving in both directions. 3. Crane operator must ensure the work area/operating area is clear of other persons.	1	3	L	All appropriate controls are in place that are reasonably practicable , no further action is necessary	
Obstacles around the working area.	Various Injuries to the Human Physique/ possibility of death	TMHUK EMPLOYEES / 3RD PARTY CONTRACTORS / VISITORS.	3	4	M	1. Before any work is to commence with the crane the working area must be viewed and all hazards / obstacles removed. 2. All staff are to follow the procedure detailed in WPRA 01 (Working Area)	1	4	L	All appropriate controls are in place that are reasonably practicable , no further action is necessary	
Use of lifting equipment / accessories in conjunction with the crane	Various Injuries to the Human Physique/ possibility of death	TMHUK EMPLOYEES / 3RD PARTY CONTRACTORS / VISITORS.	3	4	M	Generic Risk assessment WPRA 06 and Safe Working Practice SWP-06 (Use of Lifting Equipment) to be followed when using any additional lifting equipment in conjunction with the crane. Pre op check to be carried out on all lifting equipment before use. All lifting accessories will be subject to inspection and Thorough Examination not more than 6 monthly, all inspections recorded on the company Special Tool Examination Planner (STEP)	1	4	L	All appropriate controls are in place that are reasonably practicable , no further action is necessary	
Young persons , by virtue of physical limitations inexperience & the in ability to recognise or youthful disregard . For danger	Various Injuries to the Human Physique	TMHUK EMPLOYEES / 3RD PARTY CONTRACTORS / SITE VISITORS.	2	4	M	1. Nobody under the age of 18 years should be allowed to operate Machinery or tools unless suitably trained & then only when under constant Supervision. 2.Refer also to HR policy PS029	1	4	L	All appropriate controls are in place that are reasonably practicable , no further action is necessary	